



A. SWING




- NB:
- Round Tube 380x200mmx6.00mm
 - Chain Galvanised 5mmx30mm
 - Sheet mild steel 1.6mm - 2450mmx1225mm
 - Clam wire rope 6mm
 - Shackle $\varnothing$ 12mm

B. See Saw




- Round Tube $76.2 \times 2.00 \text{ mm} \times 6000 \text{ mm}$
- Round Tube $19.0 \times 1.60 \text{ mm} \times 6000 \text{ mm}$
- Sheet mild Steel $1.6 \text{ mm} \text{ } 2450 \times 1225 \text{ mm}$

C. Slide




- Round Tube 38.0 x 2000 mm x 6.000 mm
- Round Tube 19.0 x 1.6 mm x 6.000 mm
- Sheet mild steel 1.6 mm x 2450 x 1225 mm

D. Merry Go Round



- Round Tube 28.0 x 2.000 mm x 6.000 mm
- Round Tube 19.0 x 1.6 mm x 6.000 mm
- Sheet mild steel 1.6 mm - 2450 x 1225 mm
- fltex 15 x 40 x 3.0 x 16 (1200 x 2400 mm)
- Bearing + UCP 208

E. Rocker Bus



- Round Tube 50.8 x 2000 mm x 6000 mm
- Round Tube 38.0 x 2000 mm x 6000 mm
- Round Tube 19.0 x 160 mm x 6000 mm
- Angle mild steel 40 x 40 x 5.0 mm x 6000 mm
- Flatex #338 50 x 80 x 45 x 2.5 1200 x 2400